

MV-Ares Ent- Video Playout Enterprise



Features

- Multi channel playout
- Multi base band INPUT support - SDI, HDMI and CVBS using Decklink cards.
- Multi base band OUTPUT support - SDI, HDMI and CVBS using Decklink cards.
- Multi IP Input support, UDP, RTMP, HLS, SRT, RTSP
- Youtube live input support
- Inbuilt animated logo support with resizing and alpha channel support
- Inbuilt – LBand graphic advertisement support with selectable display duration
- Bug/ Banner advertisement support with its own playlist and alpha channel support
- Create and append Playlist while channel is on

MultiVirt India Private Limited

101 -C, ASHRAM CHOWK, NEW DELHI - 110014

PH : +91- 11-43552830,42878421, www.multivirt.com

sales@multivirt.com, +91-9810064903

- Import and export playlist
- Multiformat video support (one format per channel)
- Multi resolution support (each channel resolution can be different)
- Multi output destination like Youtube, facbook, CDNs and Cable Headend
- User selectable bit rate for every channel and every output
- User selectable output for each channel separately
- Colour correction for each channel
- Audio setting for each channel separately
- Ticker/scroll or each channel with background transparency selection
- Logs of video playback of the playlist video
- Logs of LBand Graphic advertisements
- Multiple IP Output codec support, MPEG2, H,264 and H.265 HEVC
- Multiday long Playlist support
- Audio playlist with images Playout support
- Multiple outputs for each channels (5 output per channel)
- Support Realtime clock in the layout
- Breaking News template with multiple lines

Output

1	<input checked="" type="checkbox"/>	RTMP	rtmp://fnnlive.com/live/livestream
2	<input checked="" type="checkbox"/>	RTMP	rtmp://a.rtmp.youtube.com/live2/rjw9-91ee-7p98-hhq4-ats1
3	<input checked="" type="checkbox"/>	UDP	udp://224.2.2.2:2000
4	<input type="checkbox"/>		
5	<input type="checkbox"/>		

Save

Enterprise Features

- Built in RTMP Server
- Built in RTSP Server
- Built in HLS server
- Serve your live channel to Multiple MSOs
- Insert audio into live feeds like temple camera feed, traffic camera feed



Specs

Hardware Requirement

For upto 5 SD channels or 2 HD channels

Core i5 – 10500, 24 GB RAM, Windows 10 Pro

For upto 12 SD channels or 6 HD channels

Core i7 – 12700K, 32 GB RAM, Windows 10 Pro

MultiVirt India Private Limited

101 -C, ASHRAM CHOWK, NEW DELHI - 110014

PH : +91- 11-43552830,42878421, www.multivirt.com

sales@multivirt.com, +91-9810064903